



DOUBLE COATED TAPES



YOUR TRUSTED SOURCE FOR DOUBLE COATED TAPES



Elite Tape offers the most extensive line of double coated tapes in the market. Whether you're bonding, splicing, mounting or laminating, Elite Tape offers the right product for your application. We partner with the top manufacturers both domestically, and overseas to provide the highest quality and largest selection of double coated tapes. In addition, Elite Tape has the unique ability to convert any of our double coated tapes in machine length long rolls for continuous processing, die-cut pieces for easy use, and finger lift options for easy removal with quick turnarounds. All the items included in this brochure are stock items for Elite Tape. Small minimums, quick turnaround, superior service, highest quality tapes make us Elite Tape!

MARKETS WE SERVE

- FLEXIBLE PACKAGING
- COMMERCIAL PRINTING
- CORRUGATED INDUSTRY
- SIGN & POP DISPLAY
- AUTOMOTIVE & AUTO AFTER MARKET
- ELECTRONIC
- PULP & PAPER
- TRANSPORTATION
- HOTEL & CONVENTION
- BAG MANUFACTURING
- BUILDING & CONSTRUCTION

DOUBLE COATED APPLICATIONS

- SPLICING
- CORE STARTING
- MOUNTING
- LAMINATING
- HOLDING
- PERMANENT BONDING
- RESEALABLE BONDING
- FASTENING
- BAG CLOSURE
- TAIL TABBING
- CARPET INSTALLATION

TABLE OF CONTENTS



Double Coated Tissue Tapes

4

Elite Tape offers a wide variety of double coated tissue tapes in different thicknesses, colors and adhesive systems. The most common adhesive system is solvent acrylic which offers the most stable adhesive with high shear strength and excellent quick stick properties. We also offer our tissues with rubber adhesives when elevated temperatures are not present. Tissue carriers offer a nice value vs. film carriers and are very user friendly. Tissue tapes are an excellent choice for splicing papers in the corrugated box industry, general purpose splicing and bonding applications.



Double Coated Film Tapes

5

Elite Tape offers an extensive line of double coated film tapes in different thicknesses, colors and adhesive systems. Our film tapes consist of a choice of polyester, polypropylene, polyethylene and PVC carriers. Our adhesive systems include solvent acrylic, rubber and silicone systems. The application will dictate which combination of film and adhesive system we can recommend. Excellent choice for bonding applications, splicing different substrates and general purpose applications.



Double Coated Differential Tapes

7

Elite Tape offers double coated differential tapes with solvent acrylic and rubber adhesive systems. Commonly known as "hi-lo" tapes, these tapes have a higher adhesion on 1 side vs. a lower adhesion on the other separated by a polyester carrier. These tapes are used when a removable adhesive is needed for clean removal from a substrate. Excellent choice in the banner and poster industry for hanging posters temporarily, also ideal for core starting and tail tabbing applications.



Double Coated Paper Tapes

7

Elite Tape offers a nice variety of double coated paper tapes. We offer crepe paper, flatback paper and rope paper carriers with natural or synthetic rubber adhesive systems. Double coated paper tape like our 591 is an excellent choice in the golf club grip repair industry. Double coated papers are versatile for short and long term bonding and positioning applications, splicing and other general purpose applications.



Double Coated Cloth Tapes

7


Elite Tape offers the industry standard in carpet installation tape with our 506BL and 505W products. These tape have a heavy duty cloth carrier coated with a natural rubber adhesive system for quick stick and easy removability. Both products are offered with an easy to remove PE film release liner which is important when removing the liner in continuous bonding applications like carpet installation. Our 507G is an excellent choice when a more economical tape is needed.



Double Coated Transfer Tapes

8

Elite Tape offers our transfer tapes in different thicknesses, colors and adhesive systems. Transfers are an excellent choice for splicing light-weight papers and other thin materials. Due to their thin makeup, the build up of the splice is much thinner vs. carrier style double coated tape. Transfers offer quick stick, high shear and excellent temperature resistance. Our 566 is offered in Pink color for splice identification. Excellent for laminating foams, gasket and other materials.



Double Coated PE Foam Tapes

9

Elite Tape has an extensive offering of double coated PE foam tapes in a variety of colors, thicknesses and release liner combinations. Our most popular PE foam tapes are listed below. Elite #1032, #1016 and #1018 are stocked in master "jumbo" rolls in both white PE foam color and black PE foam color. Our white PE foam comes with a blue PE film release liner for easy removal and no chance of shredding or fracturing of the liner when converting. Our black PE foam tapes come with a dark green PE film release liner. These products are also offered with white paper release liner for customers who prefer paper vs. film or who will be die-cutting the foam tapes.









Hi Bond Tapes

10



Elite Tape offers a nice selection of Acrylic Hi Bond tapes in different thicknesses from 10-60 mil. thick. We also offer in clear, white, black and grey colors. Acrylic Hi Bond tapes are designed for superior permanent bonding applications to a wide range of substrates like low energy surface materials such as ABS, PE, PP, PVC, composites, metals and painted metals. Elite Tape's Hi Bond products are an ideal choice for fastening applications to replace industrial fasteners like rivets and bolts. All of our Hi Bond's are stocked in log form 18-48" wide for custom slitting and small minimums. If there is a mil. thickness not listed, please call or email us for our full product offering.

DOUBLE COATED TISSUE TAPES

SOLVENT ACRYLIC ADHESIVE

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#580		General purpose splicing & bonding.	55oz./1"	4.0 Mil.	280F (Short Term)	White	Heavy Duty White Glassine
#523BL		Hi-tack splicing recycled content.	60oz./1"	4.0 Mil.	280F (Short Term)	Black	White Glassine
#525R		Flying splice and general purpose bonding.	70oz./1"	5.0 Mil.	270F (Short Term)	Red	White Glassine
#525HT		Heavy duty, high temperature.	80oz./1"	6.0 Mil.	320F (Short Term)	White	Heavy Duty White Glassine
#525BL		Heavy duty, flying splice for coated materials and heavy recycled content.	90oz./1"	6.0 Mil.	280F (Short Term)	Black	White Glassine
#525Y		Heavy duty, high temperature splicing.	80oz./1"	6.0 Mil.	320F (Short Term)	White	Mustard Glassine













RUBBER ADHESIVE

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#507Y		Economical general purpose bonding and splicing hi-slip films and surfaces.	95oz./1"	5.0 Mil.	150F (Short Term)	White	White Glassine
#508Y		Heavy duty, ultra aggressive splice tape for hi-slip films and surfaces.	140oz./1"	6.7 Mil.	150F (Short Term)	White	Mustard Glassine





DOUBLE COATED FILM TAPES






SOLVENT ACRYLIC ADHESIVE

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#590		Economical general purpose bonding and splicing.	55oz./1"	3.5 Mil.	260F (Short Term)	Clear	White Glassine
#599EZT		Hand tearable version of #590. Economical bonding and splicing.	55oz./1"	3.5 Mil.	260F (Short Term)	Clear	White Glassine
#595R		Hand tearable. Red polyester higher temp. resistant. Excellent splice tape.	50oz./1"	3.5 Mil.	300F (Short Term)	Red	White Glassine
#574HT		Hi temperature resistant splice tape. Hand tearable.	70oz./1"	3.5 Mil.	425F (Short Term)	Clear	Clay Coated Kraft
#586BKHT		Bonding and splicing tape. High temp. resistant. Hand tearable. Quick stick adhesive.	75oz./1"	5.0 Mil.	325F (Short Term)	Black	White Glassine
#563RHT		All purpose. High temp. resistant bonding and splice tape. Quick stick adhesive.	80oz./1"	6.3 Mil.	400F (Short Term)	Clear	Red MOPP Film
#510		Ultra aggressive. High tack. High shear splice tape. Hand Tearable. All Purpose.	120oz./1"	6.5 Mil.	250F (Short Term)	Clear	Clay Coated Kraft
#512		Ultra aggressive. High tack. High shear splice tape. Hand Tearable. All Purpose.	110oz./1"	8.0 Mil.	250F (Short Term)	Clear	HD White SCK
#512R		Ultra aggressive. High tack. High shear splice tape. Red for easy identification.	110oz./1"	8.5 Mil.	250F (Short Term)	Red	HD White SCK
#590R		High performance all purpose for bonding splicing. Laminating.	110oz./1	8.5 Mil.	250F (Short Term)	Clear	Red MOPP Film
#590RT		High temperature high performance version of #590R.	110oz./1"	8.5 Mil.	400F (Short Term)	Clear	Red MOPP Film
#581		Ultra aggressive, high tack, high shear splice tape. All Purpose.	170oz./1"	8.5 Mil.	250F (Short Term)	Clear	HD White SCK

SOLVENT ACRYLIC ADHESIVE CONTINUED...

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#575		High performance white PVC film tape. Aggressive adhesive for bonding, splicing, heavy duty materials.	115oz./1"	10 Mil.	250F (Short Term)	White	Mustard Glassine
#568		Thicker version and more aggressive of #575	180oz./1"	12.7 Mil.	250F (Short Term)	White	Mustard Glassine

RUBBER ADHESIVE

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#592HM		General purpose bonding and splicing great economical tape.	75oz./1"	3.5 Mil.	150F (Short Term)	Clear	White Glassine
#515HM		Thicker version and more aggressive of #592HM.	120oz./1"	5.0 Mil.	150F (Short Term)	Clear	White Glassine *Printed version available
#526R		High performance splice tape for hi-slip surfaces and materials.	110oz./1"	5.0 Mil.	150F (Short Term)	Red	White Glassine
#585W		Economical hi-tack general purpose for carpet installation and bonding. Light duty splicing.	60oz./1"	5.0 Mil.	150F (Short Term)	White	White Glassine
#578G		Thinner version of #575 but with rubber adhesive. General purpose bonding economical.	130oz./1"	7.0 Mil.	150F (Short Term)	White	Mustard Glassine






DOUBLE COATED DIFFERENTIAL TAPES

SOLVENT ACRYLIC ADHESIVE

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#576HL		High performance differential Hi/Lo tape used for bonding dissimilar materials.	Lo-Liner Side: 29oz./1" Hi-Exposed Side: 100oz./1"	4.0 Mil.	250F (Short Term)	Clear	HD White SCK



DOUBLE COATED PAPER TAPES

RUBBER ADHESIVE

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#518		Ultra aggressive. Hi tack. Great for splicing and bonding. All purpose and economical.	100oz./1"	7.0 Mil.	150F (Short Term)	Yellow	White Glassine
#591		Golf grip tape. Excellent all around bonding with quick and easy release.	52oz./1"	7.0 Mil.	200F (Short Term)	Crème	Crepe Paper
#502		Strong rope paper carrier. All purpose bonding. High performance.	80oz./1"	8.2 Mil.	200F (Short Term)	Cream	HD White SCK





DOUBLE COATED CLOTH TAPES

RUBBER ADHESIVE



ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#506BL		Carpet installation. General purpose bonding. Hand tearable.	40oz./1"	11 Mil.	200F (Short Term)	Crème	Blue PE Film
#505W		Carpet installation and bonding. General purpose holding. Hand tearable.	50oz./1"	13 Mil.	200F (Short Term)	White	White PE Film

TRANSFER TAPES

SOLVENT ACRYLIC ADHESIVE

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#566		Pink transfer tape. Excellent for splicing. High temp. rated. All purpose.	24oz./1"	2.0 Mil.	395F (Short Term)	Pink	566P = Brown Kraft Saturated 566S = Brown Kraft Un-saturated
#597B		High performance bonding and laminating transfer. Excellent for splicing.	57oz./1"	2.8 Mil.	230F (Short Term)	Clear	Printed White SCK
#550		Ultra aggressive. Ideal for splicing and laminating.	75oz./1"	5.0 Mil.	250F (Short Term)	Clear	Brown Kraft SCK
#546 SCrim		Ultra aggressive. Hi-tack for bonding foams and plastics and various substrates	130oz./1"	6.0 Mil.	250F (Short Term)	Clear	Clear Polyester







ATG TAPES - SOLVENT ACRYLIC ADHESIVE

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#5002X		Aggressive. Ideal for all types of bonding applications. Used in ATG Gun.	50oz./1"	2.0 Mil.	280F (Short Term)	Clear	Mustard Glassine
#5005X		Ultra aggressive. Ideal for all types of bonding applications. Used in ATG Gun.	80oz./1"	5.0 Mil.	280F (Short Term)	Clear	Brown Kraft SCK



DOUBLE COATED PE FOAM TAPES





SOLVENT ACRYLIC ADHESIVE


ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#1032WBL		Thick high performance PE foam for mounting and bonding applications.	80oz./1"	1/32"	175F (Short Term)	White	Blue PE Film White HD SCK = WPL
#1016WBL		Thick high performance PE foam for mounting and bonding applications.	80oz./1"	1/16"	175F (Short Term)	White	Blue PE Film White HD SCK = WPL
#1018WBL		Thick high performance PE foam for mounting and bonding applications.	70oz./1"	1/8"	175F (Short Term)	White	Blue PE Film White HD SCK = WPL
#1032BGR		Thick high performance PE foam for mounting and bonding applications.	80oz./1"	1/32"	175F (Short Term)	Black	Green PE Film White HD SCK = BPL
#1016BGR		Thick high performance PE foam for mounting and bonding applications.	80oz./1"	1/16"	175F (Short Term)	Black	Green PE Film White HD SCK = BPL
#1018BGR		Thick high performance PE foam for mounting and bonding applications.	70oz./1"	1/8"	175F (Short Term)	Black	Green PE Film White HD SCK = BPL



DOUBLE COATED HI BOND TAPES

SOLVENT ACRYLIC ADHESIVE

ELITE PART #	PHOTO	DESCRIPTION	ADHESION	THICKNESS (W/O LINER)	TEMPERATURE RESISTANCE	COLOR	LINER
#8010		Powerful long term bonding and holding. Resists UV light and extreme temps.	10.6lb./1"	10 Mil.	250F (Short Term)	#8010C = Clear #8010W = White #8010G = Grey	Red PE Film
#8025		Powerful long term bonding and holding. Resists UV light and extreme temps.	11.3lb./1"	25 Mil.	250F (Short Term)	#8025B = Black #8025W = White #8025G = Grey	Red PE Film
#8045		Powerful long term bonding and holding. Resists UV light and extreme temps.	12.3lb./1"	45 Mil.	250F (Short Term)	#8045B = Black #8045W = White #8045G = Grey	Red PE Film
#8060		Powerful long term bonding and holding. Resists UV light and extreme temps.	7.8lb./1"	60 Mil.	250F (Short Term)	#8060B = Black #8060W = White #8060G = Grey	Red PE Film



WHAT MAKES US ELITE?

We Make It Easy



TAPE EXPERTISE

We are proud to offer over 100 years of combined tape knowledge and converting experience. Our deep market knowledge and extensive technical expertise allows us to solve our customer's problems quickly and efficiently.



WICKED FAST

Everything we do at Elite Tape is "Fast". Immediate answers to your questions, same day quotes, same day samples, 1-2 days to ship orders on stock products.



CUSTOMIZATION

Because we are a converter of Specialty Tapes we offer low minimums, custom slit sizes, die-cut parts, quick proto types, same day samples, and quick turnaround of orders.



PARTNERSHIP

Everyone at Elite Tape is directly available to you, our business partner. We value our customers and our vendors and do everything to insure that we build solid relationships.



SUPERIOR SERVICE

We "Super Serve" our customers. Our formula is simple, we start with a team of great people at Elite Tape who are dedicated, hardworking and passionate about providing our customers the best experience. Great people deliver great products!



INTELLIGENT PRICING

Elite Tape provides the complete package which includes how we approach our pricing. We will always strive to be competitive in the markets we serve but we recognize "Superior Value" is more than just the lowest price products.



QUALITY WITH PASSION

Quality is embedded in our culture at Elite Tape. We provide the highest quality products combined with consistency and performance.



WORLDWIDE SOURCING

We have the expertise to source the highest quality tapes from all over the world. We know who's products are the best for your application.



CONTACT US



ELITETAPE.COM



855-770-TAPE (8273)



SALES@ELITETAPE.COM

